

OUTILS ANTIDÉFLAGRANT



SEDRA MARINE

FRANCE




Tél. : + 33 (0) 5 62 28 32 52 - Fax : + 33 (0) 5 62 28 40 68
e-mail : info@sedra-marine.fr - Site : <http://www.sedramarine-ard.com>



OUTILLAGE ANTIDÉFLAGRANT

Clés à frapper




BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	Ibs
200 - Clé à frapper, à foughe 	14	180	0,400	9/16	7	0,880
	17	180	0,400	11/16	7 1/8	0,880
	19	190	0,500	3/4	7 1/2	1,100
	22	210	0,700	7/8	8 1/4	1,540
	24	210	0,700	15/16	9 1/16	1,760
	27	230	0,800	1 1/16	9 1/16	1,760
	32	260	1,100	1 1/4	10 1/4	2,420
	36	290	1,500	1 7/16	11 7/16	3,300
	41	310	1,700	1 5/8	12 7/32	3,740
	46	340	2,200	1 13/16	13 3/8	4,840
	50	370	2,500	2	14 19/32	5,500
	55	400	3,200	2 3/16	15 3/4	7,040
	60	400	3,600	2 3/8	16 15/16	7,920
	65	400	4,400	2 9/16	18 1/8	9,680
	70	400	4,400	3	16 15/16	12,775
	75	430	5,800	3 1/8	16 15/16	13,215
	80	430	6,000	3 9/16	16 15/16	16,510
90	430	7,500	4	16 15/16	18,720	
100	430	8,500	4 5/16	16 15/16	20,485	
110	430	9,300	4 1/2	17 3/4	20,485	
115	450	9,300	4 3/4	17 3/16	27,750	
120	450	12,600	5	17 3/4	27,750	
125	450	12,600	5 5/16	16 15/16	38,545	
135	430	17,500				
201 - Clé polygonale 	17	177	0,180	11/16	6 7/8	0,396
	19	185	0,120	3/4	7 9/32	0,264
	22	200	0,300	15/16	7 7/8	0,660
	24	210	0,400	1 1/16	7 7/8	0,660
	27	210	0,370	1 1/4	8 1/4	0,880
	30	210	0,450	1 7/16	8 7/8	1,210
	32	210	0,400	1 5/8	9 1/4	1,650
	36	225	0,550	1 13/16	10 3/64	2,200
	41	240	0,750	2	10 7/16	2,640
	46	255	1,000	2 3/16	11	3,080
	50	265	1,200	2 3/8	11 7/16	3,740
	52	280	1,450	2 9/16	12 3/8	4,840
	55	280	1,400	2 3/4	13	5,350
	56	280	1,350	2 15/16	13 19/32	6,600
	57	290	1,700	3 1/8	14 3/16	7,700
	58	290	1,600	3 3/8	14 3/8	8,250
	60	290	1,500	3 1/2	15 9/16	11,880
	63	315	2,200	3 3/4	16 3/4	13,640
	65	315	2,000	3 7/8	16 1/8	13,640
	67	315	1,900	4 1/4	16 1/2	15,620
	70	330	2,450	4 1/2	16 1/2	15,620
75	340	3,000	4 5/8	16 1/2	23,100	
76	340	2,900	4 7/8	17 3/8	23,100	
77	340	2,800	5	17 3/8	22,200	
80	360	3,500	5 1/4	17 3/8	21,780	
85	365	3,750				
90	395	4,900				
95	395	5,400				
100	410	6,200				
105	410	6,000				
110	420	7,100				
115	420	6,400				
120	440	11,000				
125	440	10,500				
128	440	10,100				
130	440	9,900				
201B - Clé à frapper, polygonale 	17	150	0,250	11/16	5 7/8	0,550
	19	150	0,250	3/4	5 7/8	0,550
	22	160	0,430	7/8	5 15/16	0,940
	24	160	0,420	1	5 15/16	0,920
	27	160	0,410	1 1/16	5 15/16	0,900
	30	170	0,510	1 3/16	6 11/16	1,120
	32	170	0,490	1 1/4	6 11/16	1,070
	36	185	0,750	1 13/32	7 5/16	1,650
	41	210	1,080	1 5/8	8 1/4	2,370
	46	222	1,200	1 13/16	8 3/4	2,640
	50	234	1,350	2	9 1/4	2,970
	52	234	1,310	2 1/16	9 1/4	2,880
	55	248	1,500	2 3/16	9 3/4	3,300
	56	248	1,475	2 13/64	9 3/4	3,240
	57	248	1,450	2 1/4	9 3/4	3,190
	58	248	1,430	2 5/16	9 3/4	3,140
	60	263	1,900	2 3/8	10 3/8	4,180
	63	263	1,800	2 1/2	10 3/8	3,960
	65	280	2,700	2 9/16	11	5,940
	67	280	2,640	2 5/8	11	5,810
	70	305	3,630	2 3/4	12	7,990
	75	305	3,435	2 15/16	12	7,560
	76	305	3,390	3	12	7,460
	77	305	3,355	3 1/16	12	7,380
	80	338	4,900	3 1/8	13 11/32	10,790
	85	338	4,600	3 3/8	13 11/32	10,130
	90	368	7,200	3 9/16	14 1/2	15,850
95	368	6,800	3 3/4	14 1/2	14,970	
100	368	6,500	3 15/16	14 1/2	14,310	
105	378	8,950	4 1/8	14 7/8	19,710	
110	378	8,600	4 3/8	14 7/8	18,940	
115	378	8,260	4 1/2	14 7/8	18,190	
120	388	9,850	4 3/4	15 1/4	21,690	
125	388	9,450	4 15/16	15 1/4	20,180	
128	398	10,700	5 1/16	15 5/8	23,560	
130	398	10,550	5 1/8	15 5/8	23,230	

OUTILLAGE ANTIDÉFLAGRANT

Clés à frapper




BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
201 SPC - clé à frapper polygonale gros travaux 	24	205	0,700	15/16	8 1/16	1,540
	27	205	0,650	1 1/16	8 1/16	1,540
	30	220	1,300	1 1/4	8 11/16	2,750
	32	220	1,250	1 7/16	8 7/8	3,080
	34	220	1,200	1 5/8	9 7/8	3,740
	36	225	1,500	1 13/16	10 7/16	5,280
	38	225	1,400	2	11 1/32	5,940
	40	250	1,800	2 3/16	11 13/16	7,920
	42	250	1,700	2 3/8	12 3/16	9,240
	46	265	2,500	2 9/16	12 5/8	9,500
	48	265	2,300	2 3/4	13 3/4	1,660
	50	280	2,800	2 15/16	14 3/16	12,760
	52	280	2,700	3 1/8	14 9/16	14,740
	56	300	3,750	3 3/8	15 3/8	16,940
	58	300	3,600	3 1/2	15 3/4	19,800
	60	310	4,200	3 3/4	16 11/32	21,850
	62	310	4,100	3 7/8	16 15/16	22,660
	64	320	4,500	4 1/4	18 1/8	30,030
	66	320	4,400	4 1/2	18 7/8	37,070
	68	330	5,200	4 5/8	18 7/8	34,540
	70	350	5,400			
	75	360	5,800			
	80	370	6,700			
	85	390	7,700			
90	400	9,000				
95	415	9,950				
98	430	11,100				
100	430	10,300				
110	460	13,650				
115	480	16,850				
120	480	15,700				
201F - Clé à frapper polygonale, coudée 	27	245	1,100	1 1/16	9 5/8	2,420
	30	270	1,500	1 1/4	10 5/8	3,300
	32	270	1,400	1 7/16	11	3,520
	36	280	1,600	1 5/8	12 3/16	4,620
	41	310	2,100	1 13/16	12 5/8	5,500
	46	320	2,500	2	12 5/8	5,500
	50	320	2,600	2 3/16	12 5/8	5,500
	55	320	2,800	2 3/8	14	7,040
	60	355	3,200	2 9/16	15	8,360
	65	380	3,800	2 3/4	15 3/4	10,120
	70	400	4,600	2 15/16	16 1/2	12,540
	75	420	5,700	3 1/8	17 1/8	14,520
	80	435	6,600	3 3/8	17 15/16	15,400
	85	440	7,000	3 1/2	17 3/4	20,460
	90	440	9,300	3 3/4	17 3/4	22,000
	95	440	10,000	3 7/8	17 3/4	25,740
100	440	11,700	4 1/4	17 3/4	29,480	
110	440	13,400	4 1/2	17 3/4	31,500	
115	440	14,500				
202 - Clé polygonale, double 	6x7	112	0,038	7/32 x 1/4	4 13/32	0,084
	7x9	112	0,038	1/4 x 5/16	4 13/32	0,075
	8x9	112	0,030	5/16 x 3/8	4 13/32	0,066
	9x10	126	0,048	3/8 x 7/16	4 15/16	0,106
	9x11	126	0,045	7/16 x 1/2	5 3/4	0,143
	10x11	145	0,070	1/2 x 9/16	5 3/4	0,143
	10x14	145	0,065	1/2 x 19/32	6 1/2	0,196
	11x14	145	0,062	9/16 x 5/8	6 1/2	0,196
	12x13	145	0,060	5/8 x 3/4	8 1/4	0,440
	12x14	145	0,060	11/16 x 25/32	8 1/4	0,440
	14x15	165	0,095	3/4 x 7/8	9 1/4	0,550
	14x17	165	0,090	13/16 x 7/8	10 7/16	0,726
	16x17	210	0,200	7/8 x 31/32	10 7/16	0,726
	16x18	210	0,200	7/8 x 1	10 7/16	0,682
	17x19	210	0,200	7/8 x 1 1/16	10 7/16	0,682
	17x22	235	0,250	15/16 x 1	11 13/16	0,966
	18x19	235	0,250	15/16 x 1 1/16	11 13/16	0,966
	19x22	235	0,250	1 x 1 1/8 11	13/16	0,924
	19x24	265	0,350	1 1/16 x 1 1/8	12 3/16	1,210
	20x22	265	0,340	1 1/16 x 1 1/4	12 3/16	1,100
	21x23	265	0,330	1 1/8 x 1 5/16	13 3/8	1,430
	22x24	265	0,310	1 1/4 x 1 5/16	13 3/8	1,386
	22x27	265	0,300	1 1/4 x 1 7/16	13 3/8	1,320
	24x26	300	0,450	1 7/16 x 1 5/8	14 3/8	1,760
	24x27	300	0,440	1 5/8 x 1 13/16	15 9/16	1,960
	24x30	300	0,420	1 13/16 x 2	16 3/4	2,200
	25x28	300	0,410	2 1/16 x 2 3/16	18 5/16	2,640
	27x29	310	0,550	2 x 2 3/8	18 5/16	2,640
27x30	310	0,520	2 1/4 x 2 3/8	19 11/16	2,860	
27x32	310	0,500				
30x32	310	0,650				
30x36	340	0,630				
32x36	340	0,600				
36x38	360	0,800				
36x41	365	0,800				
41x46	395	0,900				
46x50	420	1,200				
50x55	465	1,200				
50x60	465	1,200				
55x60	500	1,300				

OUTILLAGE ANTIDÉFLAGRANT

Clé polygonale, clé à fourche & clé fermée





BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
202F - Clé polygonale, contrecoudée 	6x7	115	0,050	7/32 x 1/4	4 17/32	0,110
	6x8	115	0,050	1/4 x 5/16	4 17/32	1,110
	7x9	115	0,050	5/16 x 3/8	4 17/32	0,110
	8x9	115	0,050	3/8 x 7/16	5 1/2	0,187
	8x10	140	0,085	7/16 x 1/2	6 5/16	0,264
	9x10	140	0,085	1/2 x 9/16	6 5/16	0,264
	9x11	140	0,090	1/2 x 19/32	7 9/32	0,363
	10x11	140	0,090	9/16 x 5/8	7 9/32	0,363
	10x14	160	0,120	5/8 x 3/4	8 15/32	0,440
	11x14	160	0,120	11/16 x 25/32	8 15/32	0,440
	12x13	160	0,100	3/4 x 7/8	9 1/4	0,616
	12x14	160	0,100	13/16 x 7/8	9 7/16	0,770
	14x15	185	0,165	7/8 x 31/32	10 13/16	1,100
	14x17	185	0,165	7/8 x 1	10 13/16	1,100
	16x17	215	0,215	7/8 x 1 1/16	10 13/16	1,100
	16x18	215	0,210	15/16 x 1	10 13/16	1,100
	17x19	215	0,200	15/16 x 1 1/16	10 13/16	0,950
	17x22	235	0,280	1 x 1 1/8	10 13/16	0,950
	18x19	215	0,200	1 1/16 x 1 1/8	12 3/8	1,540
	19x22	235	0,280	1 1/16 x 1 1/4	12 3/8	1,430
	19x24	255	0,350	1 1/8 x 1 5/16	13 9/16	1,980
	20x22	240	0,350	1 1/4 x 1 5/16	13 9/16	1,870
	21x23	255	0,350	1 1/4 x 1 7/16	13 9/16	1,870
	22x24	255	0,340	1 7/16 x 1 5/8	14	2,090
	22x27	275	0,500	1 5/8 x 1 13/16	15 5/32	2,420
	24x26	275	0,500	1 13/16 x 2	15 15/16	3,080
	24x27	275	0,450	2 1/16 x 2 3/16	15 15/16	3,300
	24x30	275	0,420	2 x 2 3/8	17 1/2	3,300
	25x28	275	0,400	2 1/4 x 2 3/8	17 3/4	3,520
	27x29	315	0,700			
	27x30	315	0,650			
	27x32	315	0,620			
	30x32	345	0,900			
30x36	345	0,800				
32x36	345	0,850				
36x38	355	0,950				
36x41	355	0,900				
41x46	385	1,100				
46x50	405	1,400				
50x55	405	1,500				
50x60	445	1,500				
55x60	450	1,600				
203 - Clé à fourche, double plate 	6x7	125	0,055	7/32 x 1/4	4 15/16	0,121
	6x8	125	0,055	1/4 x 5/16	4 15/16	1,121
	7x9	125	0,055	5/16 x 3/8	5 5/16	0,187
	8x9	135	0,085	3/8 x 7/16	5 3/4	0,198
	8x10	135	0,085	7/16 x 1/2	6 1/8	0,253
	9x10	135	0,085	1/2 x 5/8	6 1/8	0,352
	9x11	145	0,090	1/2 x 9/16	6 1/8	0,253
	10x11	145	0,090	1/2 x 11/16	6 1/2	0,352
	10x14	145	0,090	9/16 x 5/8	6 1/2	0,352
	11x14	155	0,115	9/16 x 3/4	6 1/2	0,484
	12x13	155	0,115	19/32 x 11/16	6 1/2	0,352
	12x14	155	0,115	19/32 x 25/32	7 1/8	0,484
	14x15	165	0,167	5/8 x 11/16	7 1/8	0,484
	14x17	165	0,160	5/8 x 3/4	7 1/8	0,484
	16x17	165	0,160	11/16 x 25/32	7 1/8	0,484
	16x18	180	0,220	11/16 x 7/8	7 1/8	0,484
	17x19	180	0,220	3/4 x 25/32	7 11/16	0,528
	17x22	180	0,220	3/4 x 13/16	7 11/16	0,528
	18x19	180	0,220	3/4 x 7/8	7 11/16	0,528
	19x22	195	0,240	25/32 x 13/16	7 11/16	0,528
	19x24	195	0,240	25/32 x 7/8	7 11/16	0,528
	20x22	195	0,240	13/16 x 7/8	7 11/16	0,528
	21x23	205	0,280	7/8 x 15/16	8 1/16	0,616
22x24	205	0,270	7/8 x 31/32	8 1/16	0,616	
22x27	225	0,300	7/8 x 1	8 7/8	0,660	
24x26	225	0,280	7/8 x 1 1/16	8 7/8	0,660	
24x27	225	0,260	15/16 x 1	8 7/8	0,660	
24x30	243	0,450	15/16 x 1 1/16	8 7/8	0,660	
25x28	243	0,450	1 x 1 1/8	9 9/16	0,950	
27x29	260	0,500	1 1/16 x 1 1/4	10 1/4	1,100	
27x30	260	0,500	1 1/8 x 1 5/16	11 1/16	1,320	
27x32	260	0,480	1 1/16 x 1 7/16	11 13/16	1,430	
30x32	280	0,600	1 1/8 x 1 1/2	11 13/16	1,430	
30x36	300	0,650	1 1/4 x 1 3/8	11 13/16	1,430	
32x36	300	0,620	1 1/4 x 1 7/16	11 13/16	1,430	
36x38	325	0,750	1 5/16 x 1 1/2	12 13/16	1,650	
36x41	340	1,000	1 3/8 x 1 1/2	12 13/16	1,650	
41x46	365	1,150	1 7/16 x 1 5/8	13 3/8	2,200	
46x50	390	1,300	1 1/2 x 1 11/16	13 3/8	2,200	
50x55	400	1,450	1 5/8 x 1 13/16	14 3/8	2,530	
50x60	450	1,650	1 5/8 x 1 3/4	14 3/8	2,530	
55x60	455	1,850	1 11/16 x 1 7/8	14 3/8	2,530	
60x65	480	2,300	1 13/16 x 2	15 3/8	2,860	
65x70	510	2,600	2 1/16 x 2 5/16	15 3/4	3,190	
70x80	545	3,000	2 1/4 x 2 3/8	17 15/16	4,070	
204 - Clé fermée à 6 pans 	17	160	0,050	11/16	6 5/16	0,110
	19	170	0,080	3/4	6 11/16	0,176
	22	185	0,100	7/8	7 5/16	0,220
	24	200	0,130	15/16	7 7/8	0,286
	27	210	0,180	1 1/16	8 1/4	0,396
	32	225	0,350	1 1/4	8 7/8	0,770
	36	250	0,500	1 7/16	9 7/8	1,100
	41	275	0,800	1 5/8	10 7/8	1,760
	46	285	1,000	1 13/16	11 1/4	2,200
	50	300	1,200	2	11 7/8	2,640
	55	320	1,400	2 3/16	12 5/8	3,080
	60	400	1,600	2 3/8	15 3/4	3,520
	65	450	1,900	2 9/16	17 3/4	4,180
70	510	2,600	2 3/4	20 1/8	5,720	
75	610	3,400	15/16	23 5/8	7,480	
80	610	3,400	3 1/8	23 5/8	7,480	

OUTILLAGE ANTIDÉFLAGRANT

Clés à broche, clé à fourche, clé mixte












BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
204 SPC - Clé à broche polygonale, coudée 	22	355	0,500	7/8	14	1,100
	24	355	0,500	15/16	14	1,100
	27	405	0,700	1 1/16	16	1,540
	30	405	0,800	1 1/4	16	1,760
	32	405	0,800	1 5/16	16	1,760
	36	455	1,000	1 7/16	18	2,200
	38	270	0,950	1 1/2	10 5/8	2,100
	41	300	0,950	1 5/8	11 13/16	2,100
	44	310	1,100	1 3/4	12 1/4	2,420
	46	310	1,100	1 13/16	12 1/4	2,420
	50	340	1,300	2	13 3/8	2,860
	205 - Clé à fourche simple 	6	110	0,037	1/4	4 5/16
7		110	0,030	5/16	4 5/16	0,066
8		110	0,028	3/8	4 17/32	0,088
9		115	0,040	7/16	4 15/16	0,110
10		125	0,050	1/2	4 15/16	0,110
11		125	0,045	9/16	4 15/16	0,095
14		125	0,040	5/8	5 15/16	0,220
17		150	0,100	11/16	5 15/16	0,220
19		165	0,110	3/4	6 1/2	0,242
22		185	0,150	7/8	7 5/16	0,330
24		195	0,170	1	7 11/16	0,374
27		215	0,200	1 1/6	8 1/2	0,440
30		235	0,350	1 1/8	9 1/4	0,770
32		260	0,400	1 1/4	10 1/4	0,880
36		285	0,500	1 5/16	10 1/4	0,880
41		310	0,700	1 3/8	11 1/4	1,100
46		365	0,900	1 7/16	11 1/4	1,100
50		420	1,100	1 1/2	11 1/4	1,100
55		430	1,300	1 5/8	12 3/16	1,540
60		470	1,700	1 11/16	12 3/16	1,540
65		510	2,000	1 13/16	14 3/8	1,980
70		540	2,400	1 7/8	14 3/8	1,980
75	590	2,850	2	16 9/16	2,420	
80	620	3,150	2 1/16	16 9/16	2,420	
85	665	3,400	2 3/16	16 15/16	2,860	
90	695	5,850	2 3/8	18 1/2	3,740	
95	765	6,000	2 9/16	20 1/8	4,440	
100	835	6,200	2 3/4	21 1/4	5,280	
110	915	6,500	2 15/16	23 1/4	6,270	
115	985	7,000	3 1/8	24 3/16	6,930	
162	1005	14,000	3 3/8	26 3/16	7,480	
			3 1/2	27 3/8	12,870	
			3 3/4	30 1/8	13,200	
			3 7/8	32 7/8	13,640	
			4 1/4	36	14,300	
			4 1/2	38 3/4	15,400	
205 SPC - Clé à broche fourche, coudée 	22	355	0,500	7/8	14	1,100
	24	355	0,500	15/16	14	1,100
	27	405	0,700	1 1/16	16	1,540
	30	405	0,800	1 1/4	16	1,760
	32	405	0,800	1 5/16	16	1,760
	36	455	1,000	1 7/16	18	2,200
206 - Clé mixte 	6	125	0,050	1/4	4 15/16	0,110
	7	125	0,050	5/16	4 15/16	0,110
	8	145	0,060	3/8	5 3/4	0,132
	9	145	0,060	7/16	6 5/16	0,176
	10	160	0,080	1/2	7 1/2	0,297
	11	160	0,080	9/16	7 1/2	0,297
	12	160	0,080	5/8	8 1/2	0,440
	13	190	0,135	11/16	8 1/2	0,440
	14	190	0,135	3/4	9 1/4	0,528
	15	190	0,135	7/8	9 5/8	0,550
	16	235	0,200	1	11 1/4	0,770
	17	235	0,200	1 1/16	12 1/8	1,100
	18	235	0,240	1 1/8	12 1/8	1,100
	19	235	0,240	1 1/4	14 3/8	1,320
	20	260	0,250	1 5/16	14 3/8	1,540
	21	260	0,250	1 3/8	15 3/8	1,760
	22	260	0,250	1 7/16	15 3/8	1,980
	23	285	0,380	1 1/2	15 3/8	1,980
	24	285	0,380	1 5/8	15 7/8	2,420
	25	310	0,500	1 11/16	15 7/8	2,420
	26	310	0,500	1 13/16	16 3/8	2,640
	27	310	0,500	1 7/8	16 3/8	2,640
	28	310	0,500	2	17 3/8	3,520
	29	335	0,600	2 1/6	17 3/8	3,520
	30	335	0,600	2 3/16	17 7/8	4,400
	31	365	0,700	2 3/8	18 3/4	5,500
	32	365	0,700	2 9/16	19 3/4	7,040
	35	390	0,900	2 3/4	20 1/8	8,360
	36	390	0,900	2 15/16	21 1/2	9,900
	38	405	1,100	3 1/8	22 1/2	11,000
	40	405	1,100	3 3/8	22 1/2	11,880
	41	405	1,100	3 1/2	22 1/2	12,760
42	405	1,100				
46	415	1,200				
50	435	1,600				
55	455	2,000				
60	475	2,500				
65	500	3,200				
70	510	3,800				
75	545	4,500				
80	570	5,000				
85	570	5,400				
90	570	5,800				

OUTILLAGE ANTIDÉFLAGRANT

Clé mixte, clés à valve, clés à ergo, clé mâle, serre-joint & clé à boyau








BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	Ibs
206F - clé mixte coudée 	8	145	0,060	5/16	4 15/16	0,110
	9	145	0,060	3/8	5 3/4	0,132
	11	160	0,080	7/16	6 5/16	0,176
	14	190	0,135	9/16	7 1/2	0,297
	17	235	0,200	11/16	8 1/2	0,440
	19	235	0,240	3/4	9 1/4	0,528
	22	260	0,250	7/8	9 5/8	0,550
	24	285	0,380	15/16	11 1/4	0,770
	27	310	0,500	1 1/16	12 1/8	1,100
	30	335	0,600	1 1/4	14 3/8	1,320
207 - Clé à valve 	32	250	0,450	1 1/4	9 7/8	0,990
	36	272	0,600	1 7/16	10 3/4	1,320
	41	300	0,750	1 5/8	11 13/16	1,650
	50	320	0,900	2	12 5/8	1,980
207L - Clé à valve, longue 	32	470	1,500	1 1/4	18 1/2	3,300
	36	555	2,000	1 7/16	21 7/8	4,400
	41	600	2,600	1 5/8	23 5/8	5,720
	50	650	3,800	2	25 5/8	8,360
207SPC - Clé à valve spéciale 	76-178	215	0,200	3-7	8 1/2	0,440
	203-381	400	0,850	8-15	15 3/4	1,870
	406-508	490	2,200	16-20	19 5/16	4,840
207 EX.SPC - Clé à valve spéciale, gros travaux 	76-178	290	1,000	3-7	11 1/2	2,200
	203-381	430	2,300	8-15	17	5,060
	406-508	520	4,500	16-20	20 1/2	9,900
	406-508	800	5,900	16-20	31 1/2	12,980
208 - Clé à ergo 	12/14	105	0,022	1/2 - 9/16	4 1/8	0,048
	16/20	108	0,022	5/8 - 13/16	4 1/4	0,048
	25/28	130	0,048	1 - 1 1/8	5 1/3	0,106
	30/32	168	0,100	1 1/8 - 1 1/4	6 5/8	0,220
	34/36	168	0,100	1 5/16 - 1 7/16	6 5/8	0,220
	45/50	205	0,185	1 13/16 - 2	8 5/64	0,407
	52/55	205	0,160	2 1/16 - 2 3/16	8 5/64	0,407
	58/62	235	0,300	2 1/4 - 2 7/16	9 1/4	0,660
	68/75	255	0,400	2 3/4 - 2 15/16	10	0,880
	80/90	280	0,480	3 1/8 - 3 1/2	11	1,056
	90/100	305	0,550	3 1/2 - 3 7/8	12	1,210
	100/110	330	0,650	3 7/8 - 4 1/4	13	1,430
	110/115	330	0,725	4 1/4 - 4 1/2	13	1,595
	120/130	340	0,800	4 7/8 - 5	13 3/8	1,760
	135/145	350	0,850	5 3/8 - 5 3/4	13 3/4	1,870
	208 SPC - Clé à ergo articulée 	32-75	205	0,280	1 1/4 - 3	8
209 - Clé mâle à 6 pans  	2	65	0,005	1/8	2 9/16	0,011
	3	65	0,005	9/64	2 9/16	0,022
	4	65	0,010	5/32	2 9/16	0,022
	5	90	0,020	3/16	3 9/16	0,044
	6	105	0,035	7/32	4 1/8	0,077
	7	110	0,050	1/4	4 5/16	0,110
	8	115	0,065	5/16	4 1/2	0,145
	9	120	0,095	3/8	4 15/16	0,205
	10	125	0,115	7/16	5 5/16	0,253
	12	135	0,180	1/2	6 1/8	0,330
	14	155	0,190	9/16	6 1/8	0,638
	17	175	0,500	5/8	6 7/8	1,100
	19	195	0,800	11/16	7 11/16	1,760
	22	200	1,000	3/4	7 11/16	1,760
	24	210	1,200	7/8	7 7/8	2,200
	27	215	1,400	1	8 1/2	3,080
	32	230	1,500	1 1/16	8 1/2	3,080
36	235	1,600	1 1/8	9 1/16	3,300	
41	240	1,700	1 1/4	9 1/16	3,300	
			1 5/16	9 1/4	3,520	
			1 3/8	9 1/4	3,520	
			1 7/16	9 1/2	3,740	
			1 1/2	9 1/2	3,740	
			1 5/8	9 1/2	3,740	
211 - Serre-joint pour conduits de terre 	60		1,500	2 3/8		3,300
212 - Clé à boyau à gaz 	51	540	2,300	2	21 1/4	5,060
	76	590	2,700	3	23 1/4	5,940

OUTILLAGE ANTIDÉFLAGRANT

Clé à frapper, clé mâle, tube, chasses-goupilles & pointe à tracer











BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	Ibs		
213 - Clé mâle carrée 	22	255	1,100	7/8	10 1/16	2,420		
	24	255	1,200	15/16	10 1/16	2,420		
	27	310	1,700	1 1/16	12 3/16	3,740		
	32	310	1,800	1 1/4	12 3/16	3,960		
214 - Clé à frapper carrée 	23	275	0,500	7/8	10 13/16	1,100		
	24	275	0,450	15/16	10 13/16	0,990		
	27	275	0,400	1 1/16	10 13/16	0,880		
	32	290	0,850	1 1/4	11 7/16	1,870		
	36	290	0,820	1 7/16	11 7/16	1,804		
	41	290	0,800	1 5/8	11 7/16	1,760		
215 - Clé polygonale à traction 		ømm			ø A/F inch			
	30	21,3	0,800	1 3/16	27/32	1,760		
	32	21,3	0,800	1 1/4	27/32	1,760		
	33	21,3	0,800	1 5/16	27/32	1,760		
	34	21,3	0,800	1 3/8	27/32	1,870		
	35	21,3	0,850	1 7/16	27/32	1,870		
	36	21,3	0,850	1 1/2	27/32	2,090		
	37	21,3	0,950	1 9/16	27/32	2,200		
	38	21,3	0,950	1 5/8	27/32	2,200		
	41	21,3	1,000	1 11/16	27/32	2,200		
	42	21,3	1,000	1 3/4	27/32	2,200		
	46	24,3	1,400	1 13/16	61/64	3,080		
	47	24,3	1,400	1 7/8	61/64	3,080		
	50	24,3	1,550	2	61/64	3,410		
	52	24,3	1,550	2 1/16	61/64	3,410		
	54	24,3	1,550	2 1/8	61/64	3,410		
	55	24,3	1,650	2 3/16	61/64	3,630		
	56	24,3	1,650	2 1/4	61/64	3,630		
	58	24,3	1,650	2 5/16	61/64	3,630		
	60	24,3	2,450	2 3/8	61/64	5,390		
	63	24,3	2,450	2 7/16	61/64	5,390		
	65	29,3	2,700	2 1/2	61/64	5,390		
	67	29,3	2,700	2 9/16	1 5/32	5,940		
	70	29,3	2,850	2 5/8	1 5/32	5,940		
	71	29,3	2,850	2 3/4	1 5/32	6,270		
	75	29,3	3,200	2 13/16	1 5/32	6,270		
	77	29,3	3,200	2 15/16	1 5/32	6,720		
	80	29,3	3,600	3	1 5/32	7,040		
82	29,3	3,600	3 1/8	1 5/32	7,920			
85	29,3	3,600	3 1/4	1 5/32	7,920			
			3 3/8	1 5/32	7,920			
216 - Tube, levier pour clé polygonale 	ø							
	22	600	0,800	7/8	23 5/8	1,870		
	25	750	1,450	1	29 1/2	3,080		
	30	850	2,250	1 3/16	33 15/32	5,720		
301Ø - Chasse-goupille 	ø	ø		ø	ø			
	10	110	4	0,055	25/64	5/32	4	0,121
	12	115	6	0,085	15/32	15/64	4	0,187
	14	120	7	1,140	9/16	9/32	4	0,308
	14	120	8	0,145	9/16	5/16	4	0,319
	16	145	10	0,200	5/8	25/64	5	0,440
	18	160	12	0,280	23/32	1/2	6	0,616
	20	180	14	0,390	13/16	15/32	7	0,858
	24	200	16	0,650	15/16	5/8	7	1,490
	30	225	18	1,100	1 3/16	45/64	8	2,420
	32	225	20	1,250	1 1/4	13/16	8	2,750
	40	250	32	2,200	1 9/16	1 1/4	9	4,840
	301C - Chasse-goupille conique 	ø	ø		ø	ø		
2		150	10	0,288	5/64 x	6 x	25/64	0,235
3		150	10	0,288	1/8 x	6 x	25/64	0,235
4		150	10	0,288	5/32 x	6 x	25/64	0,235
5		150	10	0,288	13/64 x	6 x	25/64	0,235
6		150	10	0,288	15/64 x	6 x	25/64	0,235
7		150	12	0,288	9/32 x	6 x	15/32	0,235
8		150	12	0,288	5/16 x	6 x	15/32	0,235
9		150	14	0,288	23/64 x	6 x	9/16	0,235
10		150	14	0,288	13/32 x	6 x	9/16	0,235
11		150	16	0,288	7/16 x	6 x	5/8	0,235
12		150	16	0,288	15/32 x	6 x	5/8	0,235
13		150	18	0,288	33/64 x	6 x	23/32	0,235
14		200	18	0,288	9/16 x	8 x	23/32	0,235
15		200	20	0,356	19/32 x	8 x	51/64	0,283
16		200	20	0,356	5/8 x	8 x	51/64	0,283
17		200	22	0,356	43/64 x	8 x	7/8	0,283
18		200	22	0,356	45/64 x	8 x	7/8	0,283
19		250	24	0,356	3/4 x	10 x	15/16	0,283
20		250	24	0,468	51/64 x	10 x	15/16	0,380
21		250	26	0,468	53/64 x	10 x	1 1/32	0,380
22		250	26	0,468	7/8 x	10 x	1 1/32	0,380
23		250	28	0,919	29/32 x	10 x	1 7/64	0,724
24		250	28	0,919	15/16 x	10 x	1 7/64	0,724
25		250	30	0,919	63/64 x	10 x	1 3/16	0,724
26		300	30	1,007	1 1/32 x	12 x	1 3/16	0,805
27	300	32	1,007	1 1/16 x	12 x	1 17/64	0,805	
28	300	32	1,007	1 7/64 x	12 x	1 17/64	0,805	
29	300	34	1,189	1 9/64 x	12 x	1 11/32	0,952	
30	300	34	1,189	1 3/16 x	12 x	1 11/32	0,952	
302 - Pointe à tracer 		200	0,040		7 7/8	0,088		

OUTILLAGE ANTIDÉFLAGRANT

Burins, pointeau, bédane, protection à main & ébauchoir













BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
303 - Pointeau 		100	0,050	3 15/16		0,110
		150	0,080	5 7/8		0,176
304 - Burin plat 		150 x 22	0,240	5 7/8 x 7/8		0,528
		200 x 22	0,340	7 7/8 x 7/8		0,748
		250 x 24	0,450	9 7/8 x 7/8		0,990
		300 x 24	0,600	11 13/16 x 1		1,320
		400 x 27	1,050	15 3/4 x 1 1/16		2,310
305 - Bédane 		150	0,180		5 7/8	0,396
		200	0,250		7 7/8	0,550
		300	0,400		9 7/8	0,880
305A - Protection à main 						
306 - Burin pour béton 		200	0,300	7 7/8		0,660
		250	0,450	9 7/8		0,990
		300	0,650	11 13/16		1,430
		400	1,000	15 3/4		2,200
307 - Burin pneumatique 		Informez dimension				
308A - Ebauchoir 		200	0,550	7 7/8		1,210
308B - Ebauchoir 		1000/32	6,200	39-1 1/4		13,640
		1200/36	12,000	47-1 7/16		26,400
		1500/36	14,000	59-1 7/16		30,800
		1000/50	19,000	39-2		41,800
		1200/50	23,000	47-2		50,600
309 - Burin, pointe de diamant 		200	0,300	7 7/8		0,660
		250	0,450	9 7/8		0,990
		300	0,600	11 13/16		1,320
		400	0,900	15 3/4		1,980
310 - Yarning tool 		2 x 20 x 250	0,330		5/64 x 3/4 x 10	0,730
		4 x 20 x 250	0,365		5/32 x 3/4 x 10	0,800
		6 x 20 x 250	0,395		15/64 x 3/4 x 10	0,870
		8 x 20 x 250	0,430		5/16 x 3/4 x 10	0,950

OUTILLAGE ANTIDÉFLAGRANT

Grattoirs, couteaux & lime












BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	Ibs
401 - Grattoir emmanché 	18	300	0,150	45/64	11 13/16	0,330
	30	300	0,200	1 11/64	11 11/64	0,440
402 - Grattoir coudé 		25 x 300	0,340		1 x 11 13/16	0,748
402B - Grattoir coudé 		50 x 300	0,500		2 x 11 13/16	1,100
403 - Grattoir triangulaire 		300	0,150		11 13/16	0,330
404 - Grattoir 	115 x 75		0,200	4	9/16 x 3	0,440
	195 x 125		0,275	6	11/16 x 5	0,605
405 - Grattoir 	75 x 150		0,300		3 x 6	0,660
	125 x 235		0,850		5 x 9 1/4	1,870
406 - Grattoirs, forme triangulaire 		150 x 470	0,900		6 x 18 1/2	1,980
407 - Grattoirs sans manche 	60 x 185		0,600	2 3/8 x	7 5/16	1,320
	100 x 225		0,825	4 x	8 7/8	1,815
	125 x 255		1,100	5 x	10 3/64	2,420
408 - Couteau à palette 	25 x 200		0,065		1 x 8	0,143
	50 x 200		0,070		2 x 8	0,154
	100 x 200		0,135		4 x 8	0,297
409 - Couteau 		30 x 200	0,065		1 3/16 x 8	0,143
410 - Couteau 		250	0,085		10	0,187
411 - Lime demi-ronde 	200	300	0,300	8	13	0,660

OUTILLAGE ANTIDÉFLAGRANT

Clés, manche à cliquet, serre-tube, pinces & tenaille










BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
501 - Clé à molette 	19	150	0,210	3/4	6	0,460
	24	205	0,330	1	8	0,726
	32	255	0,550	1 1/4	10	1,210
	40	305	0,800	1 5/8	12	1,800
	50	355	1,000	2	14	2,200
	125	675	8,700	5	26 1/2	19,200
502 - Clé serre-tube 	32	285	0,950	1 1/4	11 1/4	2,090
	64	355	1,550	2 1/2	14	3,410
	75	430	1,800	3	17	3,960
	100	640	3,300	4	25	7,200
503 - Clé anglaise 	64	250	0,600	2 1/2	10	1,320
	75	275	0,750	3	11	1,650
	100	300	0,900	4	12	1,980
504 - Manche à cliquet 	9	155	0,150	3/8	6 1/8	0,330
	11	215	0,100	1/2	8 1/2	0,220
	14	215	0,200	9/16	8 1/2	0,440
	17	215	0,300	11/16	8 1/2	0,660
	19	260	0,350	3/4	10 1/4	0,770
	22	260	0,300	7/8	10 1/4	0,660
	24	260	0,400	1	10 1/4	0,880
	27	260	0,400	1 1/16	10 1/4	0,880
	30	390	1,000	1 3/16	15 3/8	2,200
	32	390	0,900	1 1/4	15 3/8	1,980
	36	505	1,500	1 7/16	19 7/8	3,300
	41	505	1,200	1 5/8	19 7/8	2,640
	46	770	4,000	1 13/16	30 5/16	8,800
	50	770	3,900	2	30 5/16	8,580
	55	770	3,800	2 3/16	30 5/16	8,360
	60	770	3,600	2 3/8	30 5/16	7,920
505 - Clé serre-tube, modèle suédois 	6-50	550	2,400	2	21 5/8	5,300
600 - Serre-tube à chaîne 	50	600	4,500	2	23 5/8	9,900
	100	600	4,700	4	23 5/8	10,340
	150	600	5,200	6	23 5/8	11,440
	450	1600	8,500	18	63	18,700
601 - Pince coupant diagonale 		165	0,200		6 1/2	0,440
602 - Pince combinée 		205	0,300		8	0,650
603 - Tenaille 		180	0,300		7 1/8	0,660
604 - Pince multiprise 		250	0,300		10	0,660
		360	0,900			
605 - Pince universelle 		200	0,260		8	0,572

OUTILLAGE ANTIDÉFLAGRANT

Pinces, pincette, cisaille, ciseau & clés





BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs
606 - Pince plate 		155	0,1250		6	0,275
607 - Pince ronde 		150	0,110		6	0,242
608 - Cisaille à tôle 		275	0,550		11	1,210
609 - Ciseaux 		225	0,250		9	0,550
610 - Pincette 		200 x 15	0,035	7 7/8 x 19/32		0,080
611 - Pince d'électricien 		180	0,150		7 1/8	0,330
612 - Pince universelle 		210	0,500		8 1/4	1,000
701 - Clé à pipe, 6 pans 	8	107	0,300	5/16	4 1/4	0,660
	9	107	0,300	11/32	4 1/4	0,660
	11	161	0,320	7/16	6 3/8	0,704
	14	161	0,430	9/16	6 3/8	0,704
	17	211	0,450	11/16	8 5/16	0,990
	19	211	0,450	3/4	8 5/16	0,990
	22	211	0,500	7/8	8 5/16	0,990
	24	244	0,500	15/16	9 5/8	1,100
	27	244	0,500	1 1/16	9 5/8	1,100
	30	266	0,600	1 1/8	9 5/8	1,100
	32	266	0,650	1 1/4	10 1/2	1,320
	36	280	0,700	1 7/16	11	1,540
41	320	1,800	1 5/8	12 7/8	3,960	
46	320	2,000	1 13/16	12 7/8	4,400	
50	320	2,100	2	12 7/8	4,400	
702 - Clé à double douille, 6 pans 	9	170	0,250	11/32	6 3/4	0,550
	11	170	0,250	7/16	6 3/4	0,550
	14	170	0,250	9/16	6 3/4	0,550
	17	230	0,400	11/16	9 1/8	0,880
	19	230	0,400	3/4	9 1/8	0,880
	22	260	0,700	7/8	10 1/4	1,540
	24	260	0,750	15/16	10 1/4	1,540
	27	260	0,750	1 1/16	10 1/4	1,650
	30	280	0,950	1 1/8	10 1/4	1,650
	32	280	0,950	1 1/4	11	2,090
	36	285	1,050	1 7/16	11 1/4	2,310

OUTILLAGE ANTIDÉFLAGRANT

Manche à cliquet, poignée coulissante, douilles & rallonge











BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	lbs	
1501 - Manche à cliquet 	1/4"	150	0,150	1/4	6	0,330	
	1/2"	260	0,600	1/2	10 1/4	1,320	
	3/4"	390	1,300	3/4	15 3/8	2,860	
	1"	510	1,700	1	20	3,740	
1502 - Poignée coulissante 	1/2"	260	0,500	1/2	10 1/4	1,100	
	3/4"	260	0,600	3/4	10 1/4	1,320	
	1"	300	1,000	1	12	2,200	
1503 - Douille 	1/4"	4	0,010	1/4	3/16	0,022	
		5	0,010		7/32	0,022	
		6	0,010		1/4	0,022	
		7	0,010		9/32	0,026	
		8	0,012		5/16	0,026	
		9	0,012		11/32	0,026	
		10	0,012		3/8	0,040	
		11	0,020		7/16	0,040	
		12	0,020		1/2	0,040	
		13	0,020		9/16	0,040	
		14	0,020				
	1/2"	6	0,050		1/2	1/4	0,110
		7	0,050			5/16	0,110
		8	0,050			3/8	0,110
		9	0,050			7/16	0,110
		10	0,050			1/2	0,110
		11	0,050			9/16	0,110
		12	0,050			19/32	0,110
		13	0,050			5/8	0,143
		14	0,050			11/16	0,154
		15	0,050			3/4	0,165
		16	0,065			25/32	0,275
		17	0,065			13/16	0,275
		18	0,070			7/8	0,275
		19	0,075			15/16	0,286
		20	0,125			1	0,308
		21	0,125			1 1/16	0,308
		22	0,125			1 1/8	0,308
		23	0,125			1 1/4	0,539
		24	0,130		3/4	1 1/4	0,484
		25	0,135			1 5/16	0,528
		26	0,140			1 3/8	0,682
		27	0,140			1 7/16	0,682
		28	0,140			1 1/2	0,770
		29	0,145			1 5/8	0,770
		30	0,245			1 11/16	0,715
		32	0,245			1 13/16	1,100
						1 7/8	1,210
	3/4"	24	0,200			2	1,210
		27	0,205				
		30	0,215		1	1 5/8	2,200
		32	0,220			1 11/16	2,200
		33	0,240			1 13/16	2,420
		36	0,310			1 7/8	2,750
		38	0,350			2	2,750
		41	0,350			2 1/16	2,970
		42	0,325			2 3/16	2,970
	46	0,500			2 3/8	3,300	
	50	0,550			2 9/16	4,400	
					2 3/4	5,500	
1"	41	1,000			2 15/16	6,820	
	42	1,000			3 1/8	8,580	
	46	1,100			3 3/8	9,460	
	50	1,250			3 1/2	9,680	
	55	1,350			3 3/4	9,900	
	60	1,500			3 7/8	10,120	
	65	2,000			4 1/4	10,120	
	70	2,500					
	75	3,100					
	80	3,900					
	85	4,300					
	90	4,400					
	95	4,500					
	100	4,600					
1504 - Rallonge 	1/4"	100	0,050	1/4	4	0,110	
	1/4"	200	0,100	1/4	8	0,220	
	1/2"	100	0,210	1/2	4	0,462	
	1/2"	200	0,315	1/2	8	0,693	
	1/2"	250	0,385	1/2	10	0,847	
	3/4"	100	0,350	3/4	4	0,770	
	3/4"	200	0,575	3/4	8	1,265	
	3/4"	250	0,700	3/4	10	1,540	
	1"	100	0,825	1	4	1,815	
	1"	250	1,400	1	10	3,080	

OUTILLAGE ANTIDÉFLAGRANT

Vilebrequin, poignées, joint, adaptateur, clés, broche & couteuse

BRONZE - CUIVRE

	mm	L mm	Kg	A/F inch	L A/F inch	Ibs
1505 - Vilebrequin 	1/2"	380	1,200	1/2	15	2,640
	3/4"	380	1,250	3/4	15	2,750
	1"	380	1,400	1	15	3,080
1506 - Poignée articulée 	1/2"	380	1,000	1/2	15	2,200
	3/4"	380	1,100	3/4	15	2,420
	1"	380	1,200	1	15	2,640
1507 - Joint à cadran 	1/2"	65	0,200	1/2	2 9/16	0,440
	3/4"	85	0,550	3/4	3 3/8	1,220
	1"	115	1,550	1	4 9/16	3,410
1508 - Poignée coudée 	1/2"	260	0,400	1/2	10 1/4	0,880
	3/4"	300	0,800	3/4	12	1,760
	1"	300	1,550	1	12	2,200
1509 - Adaptateur 	3/4 - 1/2			3/4 - 1/2		
	1/2 - 3/4			1/2 - 3/4		
	1 - 3/4			1 - 3/4		
	3/4 - 1			3/4 - 1		
	1 - 1 1/2			1 - 1 1/2		
	1 1/2 - 1			1 1/2 - 1		
1510 - Clé à douille, 12 pans 	6	150	6,5	15/64	5 15/16	1/4
	7	150	6,5	1/4	5 15/16	1/4
	8	150	6,5	5/16	5 15/16	1/4
	9	150	8,5	3/8	5 15/16	21/64
	11	150	8,5	7/16	5 15/16	21/64
	12	150	8,5	1/2	5 15/16	21/64
1511 - Broches pour 1510 	∅			∅		
	6	180		7/32	7 1/8"	
	8	180		5/16	7 1/8"	
1512 - Couteuse de tuyau 	50	430		2	17	
1513 - Clé à douille 3 pans 	Boulon			Boulon		
	M 4			M 4		
	M 5			M 5		
	M 6			M 6		
	M 8			M 8		
	M 10			M 10		
	M 12			M 12		
	M 16			M 16		
	M 20			M 20		
	M 24			M 24		
1514 - Clé à fourche pour rallonge 	14			9/16		
	16			5/8		
	17			11/16		
	19			3/4		
	20			13/16		
	22			7/8		
	25			1		
	27			1 1/16		
	28			1 1/8		

OUTILLAGE ANTIDÉFLAGRANT

Masses à pans, coin & pince à talon

BRONZE - CUIVRE

	mm	Lmm	Kg	A/F inch	L A/F inch	Ibs
104 - Masse à pans 		98	1,0	3	7/8	2,20
		104	1,5	4	1/8	3,30
		116	2,5	4	9/16	5,50
		118	3,0	4	5/8	6,60
		163	5,0	6	7/16	11,00
		175	8,0	6	7/8	17,60
DIN 6475 - Masse à pans, type allemand 		95	1,0	3	3/4	2,20
		110	1,5	4	5/16	3,30
		120	2,0	4	3/4	4,40
		140	3,0	5	1/2	6,60
		150	4,0	5	7/8	8,80
1101 - Coin 	100x50	10-0	0,245	4x2	3/8-0	0,539
	135x50	18-0	0,600	5 3/8x2	11/16-0	1,320
	150x25	8-0	0,150	6x1	5/16-0	0,330
	150x25	13-0	0,200	5 5/6x1	1/2-0	0,440
	150x40	8-0	0,240	6x1 1/2	5/16-0	0,528
	150x50	13-0	0,400	6x2	1/2-0	0,880
	80x13	6-0	0,030	3x1/2	1/4-0	0,070
	180x32	13-0	0,350	7 1/16x1 1/4	1/2-0	0,770
	180x50	19-0	0,800	7 1/16x2	3/4-0	1,760
	200x20	30-0	0,600	8x13/16	1 3/16-0	1,320
	200x30	30-0	0,800	8x1 3/16	1 3/16-0	1,760
	200x40	40-0	1,500	8x1 1/2	1 1/2-0	3,300
	200x50	12-0	0,600	8x2	1/2-0	1,320
	230x40	20-0	0,800	9x1 1/2	3/4-0	1,760
	250x40	30-0	1,300	10x1 9/16	1 3/16-0	2,900
	300x50	40-0	2,600	12x2	1 9/16-0	5,700
1301 - Pince à talon 	19x500		1,000	3/4x20		2,200
	23x800		2,800	15/16x31 1/2		6,160
	28x1000		4,350	1 1/8x40		9,570

OUTILLAGE ANTIDÉFLAGRANT

Coffrets

BRONZE - CUIVRE



1500

Coffre pour clés à douille


Le coffre contient : 21 douilles carrées 1/2" n°1503, 1 manche à cliquet n°1501, 1 poignée coulissante n°1502, 1 rallonge longueur 200mm n°1504, 1 poignée articulée n°1506 et 1 joint à cardan n°1507.

Dim mm	Kg (vide)	Kg (complet)	Dim A/F inch
360x460x110	1,800	6,300	14x18x4 3/8

2000

Assortiments d'outils en coffre en bois.

Le contenu peut être modifié sur demande.



Dim mm	Kg (vide)	Kg (complet)	Dim A/F inch
595x695x146	12,1	26,8	23 1/2x27 3/8x5 3/4
1 No 1301 500mm	1 No 801	150 x 8mm	2 No 402B
2 No 1001 3 rows	1 No 801	200 x 10mm	1 No 403
301ø 145 x 16 x 10mm	2 No 1004		1 No 501 50mm
1 No 304 200mm	1 No 501	32mm	1 No 502 64mm
2 No 404 75mm	1 No 101	0,5Kg	1 No 604 250mm
	2 No 106	0,4Kg	1 No 207 50mm
	1 No 104	2,5Kg	

OUTILLAGE ANTIDÉFLAGRANT


Coffrets

BRONZE - CUIVRE

3000

Assortiments d'outils en coffre en bois.

Le contenu peut être modifié sur demande.



Dim mm		Kg (vide)	Kg (complet)	Dim A/F inch
595 x 695 x 146		12,1	33,4	23 1/2 x 27 3/8 x 5 3/4
1No 101	0,5Kg	1No 205	27mm	1No 403
1No 1041	1,0Kg	1No 205	32mm	1No 501 24mm
1No 104	2,5Kg	1No 205	36mm	1No 501 32mm
1No 202 19 x 22mm		1No 205	41mm	1No 502 32mm
1No 202 27 x 32mm		1No 205	46mm	1No 502 75mm
1No 202 36 x 41mm		1No 205	50mm	1No 602
1No 203 22 x 27mm		1No 205	55mm	1No 801 150 x 8
1No 203 32 x 36mm		1No 304	22mm	1No 801 200 x 10
1No 203 41 x 46mm		1No 305	200mm	1No 1002 15 x 5 rows
		2No 402		1No 1301 500mm



4000

Assortiments d'outils en coffre en bois.

Le contenu peut être modifié sur demande.

Dim mm		Kg (vide)	Kg (complet)	Dim A/F inch
595 x 695 x 146		12,1	20,4	23 1/2 x 27 3/8 x 5 3/4
2No 106	0,2Kg	6No 402		3No 404 125mm
2No 106	0,4Kg	1No 403		3No 1001 3 rows
2No 106	0,6Kg	3No 404	75mm	1No 1002 15 x 5 rows
1No 401	30 x 300			